

Materials Compatibility Reference

Pr **DOJOLVI**[®]
Triheptanoin Oral Liquid



Compatible Materials

Prepare or administer DOJOLVI using containers, dosing syringes, or measuring cups made of these materials, such as: High-density polyethylene (HDPE), low-density polyethylene (LDPE), polypropylene, stainless steel, glass, polyurethane, and silicone



Incompatible Materials

Do **not** prepare, administer or store DOJOLVI using these materials: Polystyrene or polyvinyl chloride (PVC)



Unknown Compatibility

Compatibility for these materials is unknown. **Use is not recommended.**



Other Compatible Materials


stainless steel, glass, polyurethane, silicone



PETE

polyethylene terephthalate


examples include: soft drink bottles, water bottles, and fruit juice containers¹



HDPE

high-density polyethylene

examples include: milk, juice or water bottles¹, and plastic syringes²



PVC

polyvinyl chloride

examples include: food shrink wrap, packaging that has a plastic cavity or pocket³



LDPE

low-density polyethylene

examples include: food bottles¹, plastic syringes²



PP

polypropylene

examples include: dosing cups or spoons², yogurt containers, bottles, and straws³



PS

polystyrene (also known as styrofoam)

examples include: vending cups and clamshell carry-out containers³



DISCLAIMER: Containers are shown as examples only. Containers that fit into example categories may not be made of the listed material, and thus may not be compatible with DOJOLVI. Not all parts of these containers may be compatible with DOJOLVI. Containers may need to be replaced after a period of time due to material wear and tear.




SOURCES: 1. Marsh K, Bugusu B. J Food Sci 2007; 72(3):R39-55. 2. Data on File. Ultragenyx Pharmaceutical Inc. Summary Non-clinical Compatibility and Stability Data_Tubing and Food. 2019. 3. ChemicalSafetyFacts.org Website: www.chemicalsafetyfacts.org/types-plastic-food-packaging-safety-close-look/ 4. Raheem D., Emir J Food Agric. 2013; 25:177-188. 5. S. Sartori, Aliment Pharmacol Ther 2003; 17: 853-856. 6. DOJOLVI (triheptanoin) US Prescribing Information, September 2020. Design adapted from, DOJOLVI Tips for Storing, Mixing and Administering Brochure: PANTHERx Rare Pharmacy of Pittsburgh, PA.



Materials Compatibility Reference (continued)

Pr **DOJOLVI**[®]
Triheptanoin Oral Liquid

Preparation and Administration Instructions

-  Administer DOJOLVI mixed with semi-solid food or liquids orally or enterally. Do not administer DOJOLVI alone to avoid gastrointestinal upset.
-  DOJOLVI is not compatible with certain plastics. Prepare or administer DOJOLVI using containers, dosing syringes or measuring cups made of compatible materials such as stainless steel, glass, high density polyethylene (HDPE), polypropylene, low density polyethylene, polyurethane and silicone.
-  Do not prepare or administer DOJOLVI using containers, dosing syringes or measuring cups made of polystyrene or polyvinyl chloride (PVC) plastics.

Regularly monitor the containers, dosing syringes or measuring cups that are in contact with DOJOLVI to ensure proper functioning and integrity.

Read the Patient Medication Information leaflet for information and instructions on how to prepare and administer DOJOLVI.

If you want more information about DOJOLVI:

- Talk to your healthcare professional.
- Find the full Product Monograph that is prepared for healthcare professionals and includes the Patient Medication Information by visiting the Health Canada website (<https://www.canada.ca/en/health-canada.html>), the manufacturer's website (<https://www.ultragenyx.com/canada/medicines/dojolvi-product-monograph-CANADA/>) or by calling 1-833-388-5872.